





# **Features**

- · Produces clear, long-lasting gourmet cubes.
- · Space-saving 463 mm wide under-counter design.
- · Produces up to 47.5 kg of ice per day.
- · Castors optional bringing height down to 839mm
- · Constructed from sturdy, corrosion-resistant stainless steel and fingerprint-proof plastic.
- · Ideal for any under-counter or bar application.
- · Contemporary, elegant design.
- · Environmentally friendly R134A refrigerant.
- · Easily adjust the thickness of your ice from the front of the machine!

# **Space-Saving Solutions**

- · Front air discharge design for compact spaces.
- · Low profile top saves counter space.
- Stores up to 22 kg of ice.
- · Easy front access to ice.
- · Removable Air Filter.

## **Options & Accessories**

	WATER FILTERS				
Ice Machine Model	Manifold				
	System	Replacement			
UCG105	СD10В	СD100В			

## Ice Maker Warranty

Every Ice-O-Matic ice maker is backed by a warranty that provides both parts and labor coverage.


· Two years Parts and Labour

#### Ice Form



**GOURMET ICE** 

GOURMET ICE D	IMENSIONS
Height	30.5 mm
Diameter	34.25 mm




















# **Operating Requirements**

	MINIMUM	MAXIMUM	
	50 Hz		
Ambient Temp. Range Air	10°C	43°C	
Water Temp.	5°C	38°C	
Water Pressure	1 BAR	5 BAR	
Electrical Voltage	230V/50Hz/1ph		

#### **Dimensions**

ALL MODELS				
W x D x H (mm)	463 x 566 x 896-939 on legs			
839mm high on castors				

### **Specifications**

		Ice Production per 24hrs	Ice Production per 24hrs	Ice Production per 24hrs			kWH Used	
Model Number	Cond. Unit	21°C air/10°C water (kg)	32°C air/21°C water (kg)	10°C air/10°C water (kg)	Storage Capacity (kg)	Water Consumption (ltr/hr)		Voltage Characteristics
UCG105A	Air	47.5	38	48	22	6	11	230/50/1

NOTES:

Approx. Shipping Weight (kg): R134A

UCG105A (37)

All specifications and performance data are subject to normal manufacturing variances.

Ice-O-Matic reserves the right to change the specifications at any time without obligation. Certifications may vary depending on country of origin.